





INNOVATION PROPELS US.

Innovation. It's the drive to a destination just out of reach. It's the feeling of never being satisfied. It's knowing that the job will never be done. Evinrude has spent over a century creating, crafting, rethinking and reimagining.

But the past is not where innovation lies. It's found in today, tomorrow and every moment going forward, where we turn thrilling performance, intelligent design and extreme durability into the world's most powerful boating experiences. And no matter where innovation takes us next, we'll be ready to go even further.







INTRODUCING THE 150 HP-200 HP EVINRUDE E-TEC G2.

Boaters asked. We delivered. Best-in-class torque, best-in-class fuel efficiency and the industry's lowest total emissions are now available in 150 HP to 200 HP.

Which means the many groundbreaking innovations and benefits of Evinrude E-TEC G2 technology are now available for more boat types, more boaters and more boating experiences.

DESIGN YOUR OWN EVINRUDE E-TEC G2.

True innovation takes many forms—in this case, hundreds of color combinations. The Evinrude E-TEC G2 is the world's first outboard that allows you to choose the colors of the side panels, the top panels and the accent stripes.

Customize an Evinrude E-TEC G2 to perfectly match your boat. Or get an Evinrude boat package with exclusive boat brand colors.

SIDE PANEL COLOR OPTIONS













TOP PANEL COLOR OPTIONS















ACCENT STRIPE COLOR OPTIONS











300 || 250 н.о. || 250 || 225 н.о. 225 || 200 н.о. || 200 || 175 150 н.о. || 150

SHAFT LENGTH OPTIONS¹

20in || 25in || 30in





PERFORMANCE TECHNOLOGY



E-TEC DIRECT INJECTION

Our exclusive direct injection technology is the performance standard for outboard engines, delivering the perfect 14:1 air-to-fuel ratio. It's how we get best-in-class torque, fuel efficiency and emissions levels. It's at the heart of Evinrude E-TEC G2 technology.



STARBOARD-STARBOARD DESIGN

Available on 200 H.O. engines and above, the Starboard-Starboard Engine Design delivers faster acceleration, better hole shots, more towing power and better reliability.




The digital controls and gauges are designed to give you complete, crystal-clear engine information for better command, while the breakthrough i-Trim system can automatically provide optimal engine trim.



SLX GEARCASE

A sleek, hydrodynamic design reduces steering effort and produces less drag without sacrificing speed and acceleration. The robust gear set brings maximum durability.



ENGINE MANAGEMENT MODULE

With a lightning-fast microprocessor, the marinespecific EMM is the "brain" of the engine and maintains the instant shift and throttle response, to get your boat on plane faster.



PURE POWER COMBUSTION

We created the most efficient piston/cylinder design in the industry for optimal engine combustion, unrivaled performance and up to 15% better fuel efficiency versus competitive outboards.¹




DYNAMIC POWER STEERING

Integrated directly into the midsection, it's designed to adapt steering resistance for better handling and more control in tight turns and big water, when you need it most.



RAKER H.O. PROP

Variable Vent Ports allow you to tune your propeller to match your boat and engine, maximizing holeshots. This industry benchmark fully optimizes the superior torque and power of an Evinrude E-TEC G2.





Sometimes, boating isn't easy. Sometimes, the weather turns, the swells start to build and the knots start filling your stomach. And the only things that matter are your skills and your engine.

Evinrude outboards are designed, built and tested to take a beating and get back up again. Because we know that when conditions are at their worst, an Evinrude engine has to be at its best.

"My favorite part of owning an Evinrude is its reliability.
I know it's going to get me back."

RYAN BROWN FVINBURE F-TEC G2 OWNER

CORROSION RESISTANCE AND WARRANTY

Stainless-steel components and titanium-oxide coating for toughness. Electro-deposition paint process for uniform and total coverage. And we're so confident in our corrosion resistance that all Evinrude E-TEC G2 engines are backed with an industry-leading 5-year corrosion warranty.

FEWER PARTS

An E-TEC direct injection twostroke doesn't require belts, camshafts or exhaust valves, which means there are fewer parts to wear down or malfunction than a four-stroke. Simpler is not only better. Simpler is more durable.

DURABLE COMPONENTS

All Evinrude E-TEC engine pistons are made of an alloy developed by NASA engineers, which is 2.5x stronger than conventional piston alloys. For you, this means increased durability and a longer engine life.

DURABILITY TECHNOLOGY




DUAL-AXIS RIGGING SYSTEM

The patented Dual-Axis Rigging System routes all engine and steering connections through just one tube, which means fewer exposed parts for less wear and tear. One more nagging issue you won't have to worry about.¹



SLX GEARCASE

Inside and out, it's designed for better durability. The weed-shedding leading edge keeps water intakes from clogging. The robust, internal gear set is tuned and tight, ready to take on the roughest waters.¹



HIGH-OUTPUT BELTLESS ALTERNATOR

Industry-leading 50 net amps of battery-charging output on Evinrude E-TEC 90 H.O. models and up. Maximum charging for all your accessories—right down to the blender and stereo.



SLE GEARCASE

The Straight Leading Edge gearcase features highefficiency water pickups and a weed-slicing shape up front, for a cooler-running engine and ultimate durability and reliability in the long run.²



OWNERSHIP BENEFITS

BEST-IN-CLASS FUEL EFFICIENCY

The PurePower Combustion of the Evinrude E-TEC G2 is so efficient, not a single drop of gas is wasted, so you'll use up to 15% less fuel than the leading four-stroke. Fuel worries evaporate into thin air.

INDUSTRY-LEADING MAINTENANCE SCHEDULE

The Evinrude E-TEC redefined low maintenance with 3 years or 300 hours of no dealer-scheduled maintenance. The Evinrude E-TEC G2 raises the stakes to 5 years or 500 hours of no dealer-scheduled maintenance.

5-YEAR ENGINE AND CORROSION WARRANTY

The industry's best outboard comes with the industry's best warranty: a 5-year engine warranty and 5-year non-declining corrosion warranty.² No one else even comes close.

NO BREAK-IN PERIOD. NO OIL CHANGES.

No 20-hour break-in period like four-strokes, and no oil changes—ever. So while the four-strokes are in the shop getting service, you'll be out on the water.

AUTO-WINTERIZATION/AUTO-STORAGE


We've redefined winterization. Since you can do it yourself in less than four minutes with an Evinrude E-TEC, there is no need for "done until spring" winterizing. Warm day in late autumn? Go fishing and re-fog.

LOWEST EMISSION LEVELS

A more efficient engine is a cleaner engine. In fact, the PurePower Combustion of an Evinrude E-TEC G2 is so clean-burning that it has up to 75% fewer regulated emissions³ than competitive four-strokes, keeping waters clean for you and generations to come.

100% GLOBAL EMISSIONS COMPLIANT

No matter where in the world your boating adventure takes you, the Evinrude E-TEC is welcome. One less thing to get in the way of your time on the water.









E-TEC G2

The Outboard of the Future 150 HP-300 HP



E-TEC

The One That Started It All 15 H.O.-250 HP



PORTABLES

Compact, Convenient Power 3.5 HP-15 HP



PONTOON SERIES

Specifically Designed for Fun 90 HP-150 HP



JET SERIES

Power for the Skinniest Water 40 HP-105 HP



MULTI-FUEL

Fully Submersible Engines 30 HP-55 HP

|| 24 || 25



We've partnered with the industry's leading boat builders to create exclusive engine color packages. Only with the Evinrude E-TEC G2 do you get the perfect match between boat and engine. And when you drop the throttle, the feeling you'll have is just as perfect.

To see all of the exclusive color packages, visit Evinrude.com

EXCLUSIVE COLOR PACKAGES¹





















EVINRUDE E-TEC JET SERIES

The best fish are often found in the skinniest between boulders or when navigating waters. Those shallow, rocky streams hold beautiful pockets of trout, bass and salmon, and the Evinrude E-TEC Jet Series was specifically designed to get you there. The superior torque of E-TEC direct injection keeps you in control in heavy currents,

tight eddies. Since they're the lightest jet outboards in their class, they shoot out of the hole and quickly get on plane. Tight, powerful, quick control. That's what the Evinrude E-TEC Jet Series is all about.



EVINRUDE BOAT PARTNERS

FRESHWATER FISHING SALTWATER FISHING RECREATIONAL **GOVERNMENT** Alumacraft Apex Marine Armstrong Marine BassCat Andros Agua Patio Brunswick Commercial Caravelle Bay Craft Avalon Metal Shark Boats **Excel Boats** Beavertail Moose Boats Bennington Falcon Bass Billistic Berkshire North River Boats Blackwood Campion Ocean Craft Marine Hewescraft Blue Wave Caravelle Oquawka Boats & Fabrications KingFisher Boats Bluewater Craig Cat Rescue One Connector Boats RIBCRAFT Cape Horn Crest Larson SAFE Boats MirroCraft Caravelle Crownline Phoenix Carolina Skiff Ebbtide Boats Silver Ships Polar Kraft Crevalle Encore Bentley Pontoons Willard Marine Ranger Dusky Four Winns William Munson Razor East Cape Skiffs Wing Inflatables River Hawk Everglades Workskiff SeaArk Fat Cat JC Pontoon Zodiac Hurricane Shearwater Hewescraft Zodiac Marine Smoker Craft Key Largo Marker One Starcraft Key West Misty Harbor Starweld KingFisher Boats Montego Bay Pontoons Ocean Master Palm Beach Sterling Premier Stratos Ranger Triton Boats Razor Razor Triumph Boats Release War Eagle River Hawk Sanpan Warrior Boats Sailfish Boats Silver Wave Weldcraft Scout Boats South Bay Wooldridge Sea Chaser Sea Pro SeaVee SunChaser Shallow Sport Sweetwater Sylvan Shoalwater Boats True North Sterling Striper TideWater Wellcraft Wooldridge Zodiac Marine





RIGGING PARTS AND ACCESSORIES



EVINRUDE E-LINK

Evinrude E-Link is a wireless hub that provides Evinrude E-TEC G2 data to your smartphone or tablet, as a complement or alternative to helm gauges. Monitor and control important engine functions from anywhere on your boat—even forward important engine data on to your dealer.



EVINRUDE I-DOCK JOYSTICK SYSTEM

Whether you own a power catamaran or a high-performance cruiser—or have an offshore center console—the Evinrude i-Dock Joystick System takes the stress out of maneuvering a twin- or triple-engine boat at a marina, gas dock or your favorite tie-up point.



TILLER KIT WITH TOUCH TROLL

All the features and controls right at your fingertips. Fully adjustable to maximize comfort at your various running speeds.



RX4 SERIES PROP

Featuring Variable Vent Porting for adjustable bite, this no-compromises four-blade prop designed for the Evinrude E-TEC G2 is optimized for traction and rough water performance with industry-leading speed, acceleration and fuel economy. It delivers superior bow lift on larger boats and doesn't slip in turns.



RAKER H.O. PROP

Fully maximizing the power and torque of Evinrude E-TEC G2 or any other V6 Evinrude outboard, this three-blade prop is the industry benchmark for high-speed operation. Precision manufactured and hand-finished, the Raker H.O. boasts Variable Vent Porting to fine-tune propeller bite and maximize hole-shot acceleration.



VIPER PROP

The Viper prop features longer-swept blades and a larger diameter for better acceleration and grip on the water. Perfect for pontoons, runabouts, cruisers and deck boats.

SPECS	E-TEC G2		E-TEC								E-TEC PONTOON SERIES			E-TEC JET SERIES	PORTABLES	MFE ⁸
Horsepower	300, 250 H.O. 250, 225 H.O. 225, 200 H.O.	200, 175 150 H.O., 150	250, 225 H.O. 225, 200 H.O.	200, 175, 150 H.O. 150, 135 H.O.	115 H.O., 115, 90 H.O.	90, 75, 60 H.O.	60, 50, 40		30, 25	15 H.O.	150	115	90	105, 60, 40	15, 9.8, 6, 3.5	55, 30
Engine Type	V6 74° E-TEC D.I.	V6 66° E-TEC D.I.	V6 90° E-TEC D.I.	V6 60° E-TEC D.I.	V4 60° E-TEC D.I.	Inline 3-Cylinder E-TEC D.I.	Inline 2-Cylinder E-TEC D.I.		Inline 2-Cylinder E-TEC D.I.	Inline 2-Cylinder E-TEC D.I.	V6 60° E-TEC D.I.	V4 60° E-TEC D.I.	Inline 3-Cylinder E-TEC D.I.	V6 60° E-TEC D.I. Inline 3-Cylinder E-TEC D.I. Inline 2-Cylinder E-TEC D.I.	2-cylinder, 1-cylinder	Inline 2-Cylinder E-TEC D.I.
Bore x Stroke - in (mm)	3.854 × 3.000 (98 × 76)	3.386 x 3.100 (86 x 78.7)	3.854 x 2.858 (98 x 73)	3.601 × 2.588 (91 × 66)	3.601 x 2.588 (91 x 66)	3.601 × 2.588 (91 × 66)	3.601×2.588 (91×66)		2.992 x 2.5 (76 x 64)	2.992 x 2.5 (76 x 64)	3.601×2.588 (91×66)	3.601 x 2.588 (91 x 66)	3.601 x 2.588 (91 x 66)	3.601 x 2.588 (91 x 66)	61 x 60 (2.4 x 2.36) 55 x 44 (2.17 x 1.73) 59 x 45 (2.32 x 1.77) 55 x 36 (2.17 x 1.42)	3.601 x 2.588 (91 x 66)
Displacement - cu in (cc) L	210 (3441) 3.4 L	167 (2744)	200.1 (3279) 3.3L	158.2 (2589) 2.6L	105.4 (1726) 1.7L	79.1 (1295) 1.3L	52.7 (863)		35.2 (577)	35.2 (577)	158.2 (2592) 2.6L	105.4 (1726) 1.7L	79.1 (1295) 1.3L	158.2 (2592) 2.6L 79.1 (1295) 1.3L 52.7 (863)	351 (21.41) 209 (12.8) 123 (7.5) 85.5 (5.2)	52.7 (863) Inline
Gear Ratio (shaft length)¹	1.85:1	2.17:1	1.85:1	1.86:1 (20") 1.85:1 (25")	2.00:1 (20") 2.25:1 (25")	2.00:1 (20") 2.25:1 (25") 2.36:1 (20" and 25")	2.90:1		2.15:1	2.15:1	1.86:1	2.44:1	2.36:1	n/a	2.15:1 2.08:1	2.67:1
Full Throttle RPM Range	5400-6000 RPM	5000-6000 RPM	5250-6000 RPM	5300-6000 RPM	5500-6000 RPM	5000-5500 RPM	5500-6000 RPM		5500-6000 RPM	5000-5500 RPM	5300-6000 RPM	5500-6000 RPM	5000-5500 RPM	5300-6000 RPM 5000-5500 RPM 5500-6000 RPM	4500-6000 RPM	5500-6000 RPM
Weight - lbs (kg)²	537 (244)	530 (240) 496 (225) ⁹	503 (228)	418 (190)	390 (177)	320 (145)	232 (105)		150 (68)	181 (82)	418 (190)	390 (177)	320 (145)	428 (194) 334 (151) 247 (112)	114.4 (52) 81.5 (37) 57 (26) 41 (18.4)	250 (113) 154 (70)
Starting ¹	Electric	Electric	Electric	Electric	Electric	Electric	Electric or Rope (40 only)		Electric or Rope ⁷	Electric and Rope ³	Electric	Electric	Electric	Electric	Electric or Manual	Rope ³
Controls	Integrated digital shift and throttle	Integrated digital shift and throttle	Mechanical (ICON EST Digital Accessory)	Mechanical (ICON EST Digital Accessory)	Mechanical	Mechanical	Mechanical		Mechanical	Mechanical	Mechanical (ICON EST Digital Accessory)	Mechanical	Mechanical	Mechanical	Remote Control or Tiller Handle	Mechanical
Fuel Induction	E-TEC Direct Injection with stratified low RPM combustion mode	E-TEC Direct Injection with stratified low RPM combustion mode	E-TEC Direct Injection with stratified low RPM combustion mode	E-TEC Direct Injection with stratified low RPM combustion mode	E-TEC Direct Injection with stratified low RPM combustion mode	E-TEC Direct Injection with stratified low RPM combustion mode	E-TEC Direct Injection with stratified low RPM combustion mode		E-TEC Direct Injection with stratified low RPM combustion mode	Carbureted	E-TEC Direct Injection with stratified low RPN combustion mode					
Alternator Output ³	133 Amps Total/ 50 net Dedicated/ 14 amps @ idle	133 Amps Total/ 50 net Dedicated/ 14 amps @ idle	133 Amps Total/ 50 Net Dedicated ⁴	133 Amps Total/ 50 Net Dedicated ⁴	133 Amps Total/ 50 Net Dedicated ⁴	81 Amps Total/ 25 Net Dedicated ⁵	81 Amps Total/ 25 Net Dedicated ⁵		56 Amps Total/ 15 Net Dedicated ⁶	56 Amps Total/ 15 Net Dedicated ^s	133 Amps Total/ 50 Net Dedicated ⁴	133 Amps Total/ 50 Net Dedicated ⁴	81 Amps Total/ 25 Net Dedicated ⁵	133 Amps Total/50 Net ⁴ , 81 Amps Total/25 Net, 81 Amps Total/25 Net ⁵	Only on Electric models: 12V, 60W, 5A, 12V, 80W, 6A, 12V, 145W, 12A	81 Amps Total/ 25 Net Dedicated ^s
Steering ¹	Remote / Integrated Hydraulic Steering / Dynamic Power Steering ¹	Remote / Integrated Hydraulic Steering ¹ / Dynamic Power Steering ¹	Remote	Remote	Remote (Tiller Accessory)	Remote (Tiller Accessory)	Remote or Tiller (Tiller Accessory)		Remote or Tiller	Remote or Tiller	Remote (Tiller Accessory)	Remote (Tiller Accessory)	Remote (Tiller Accessory)	Remote, Remote (Tiller Accessory)	Tiller or Remote	Tiller
Trim Method ¹	Power Trim & Tilt	Power Trim & Tilt	FasTrak™ Power Trim and Tilt	FasTrak™ Power Trim and Tilt	Trac-1 Power Trim and Tilt (20") FasTrak™ Power Trim and Tilt (25")	Trac-1 Power Trim and Tilt	Power Trim and Tilt or Manual Tilt (40 only)		Power Trim and Tilt or Manual Tilt	High Speed Power Tilt	Power Trim and Tilt or Manual Tilt	Power Trim and Tilt or Manual Tilt	Power Trim and Tilt or Manual Tilt	FasTrak™ Power Trim and Tilt Trac-1 Power Trim and Tilt Power Trim and Tilt	Manual or Power Tilt	Manual Tilt w/ assist cylinder
Shaft Length - in (mm)	20" (508) 25" (635) 30" (762)	20" (508) 25" (635)	20" (508) 25" (635)	20" (508) 25" (635)	20" (508) 25" (635)	20" (508) 25" (635)	20" (508)		15" (381) 20" (508)	20" (508) 25" (635)	20" (508)	20" (508)	20" (508)	20" (508)	15" (381) 20" (508) 25" (635)	20" (508)

/ 6 56 Amp. Current amp calculated at 13.5 V. Net dedicated battery charging power output is 15 Amp. / 7 Electric also has rop , 250-, 225-, 200-, 175-, 150- and 115-hp engines (excludes High Output models). / 9 Non power steering model (Trac +).

Fuel economy: Fuel economy claims are based on laboratory tests utilizing ISO 8178-4 and boat tests performed at BRP facilities. Actual fuel usage will vary depending on the boat, payload, operating conditions, propeller, and driving habits. ***Power Ratings: Evinrude*Outboards are power rated in accordance with National Marine Manufacturer's Association (NMMA) procedure using the International Council of Marine Industry Associates (ICOMIA) standard 28/83. Remote Control: Not supplied with engine.

For all models, a wide variety of props are available at extra cost. A full line of Cyclone", Hydrus®, SSP®, Raker® II, Raker® H.O., Rogue", RX4, Viper", and Rebel® propellers are available for standard and counter-rotation models. Maximum Boat Horsepower: By

law, most outboard boats up to 20 feet in length must carry a plate certifying the maximum horsepower permitted under U.S. Coast Guard regulations. Do not exceed boat's horsepower rating or tamper with engine's emission levels or components.

Warranty: The Evinrude Limited Warranty has been furnished to Evinrude dealers for inspection at the point of sale and is included with the Operator's Guide (mirrished with each motor. Three year Evinrude warranties apply to new 2004, 2005, 2006, 2007, 2008, 2009, 2011, 2012, 2013, 2014, 2015, 2016 and 2017 engines sold by authorized dealers in North America for recreational use only. Contact the company for information on government, commercial, and promotional engine warranties. See limited warranty statement for full details.

use only and are a three-year Evinrude Limited Warranty, plus two years of BRP Extended Service Terms. Five-year corrosion warranties apply to new 2017 Evinude E-TEC G2 engines sold by authorized dealers in North America for recreational use only. Specifications: In furtherance of our policy of continual product improvement, we reserve the right to discontinue, substitute, change, or improve the design of any outboard motor at any time, without assuming obligation to motify motors previously manufactured. We reserve the right, at any time, to discontinue or change specifications, price, designs, features, models, or equipment without incurring obligation. The information in this brochure is based on the latest specifications available at the time of printing. See your Evinrude dealer for the latest product information.

Some models depicted herein may contain accessories or be shown with options which are available at an extra cost from your Evinrude dealer. Engine performance may vary depending on, among other things, general conditions, ambient temperature, ability, options, modifications, and driver and passeager payload weight, engine type, and optional equipment. Information contained in this publication reflects domestic U.S. and Canadian product availability. Product availability and warranty may vary outside the

For advertising purposes, some pictures in this brochure include professional drivers executing maneuvers under ideal and/or controlled conditions. Do not attempt any of these, or any other risky maneuvers, if they're beyond your level of driving ability. Always consult your local dealer when selecting an outboard for your particular needs and carefully heed and pay special attention to your Operator's Guide, and the on-product labeling. Always drive responsibly and safely. Severe injury can result from ignoring warnings, not following the instructions, or improper use of boats and engines. Use common sense and courtesy. Always observe applicable local laws and regulations. Respect the rights of, and keep a safe distance from, other recreationists, bystanders, and the shoreline. Always wear the appropriate clothing, including a Coast Guard-approved P.F.D. as dictated by the circumstances including, but not limited to, the weather, boating conditions, and age and abilities of the occupants. Don't drink and drive.

BRP US Inc. 10101 Science Drive, Sturtevant, Wisconsin Sa177.

©2016 Bombardier Recreational Products Inc. (BRP) All rights reserved.

©, TM and the BRP logo are trademarks of BRP or its affiliates. ‡ All other trademarks are the property of their respective owners.

|| 34

|| 35



ski-doo. Lynx. Sec-200. Evinrude. Rotax. Can-am.