



Be free.

Free to have fun, boat, explore...

Free to *swim*.



OUR STORY

In 1991, two friends set out to create the ideal dock after years of battling harsh weather conditions and having to install and remove their wooden dock seasonally. The result— the patented EZ Dock® System. Today, we are the industry leader in floating modular docks, offering a wide selection of dock systems, boat and PWC lifts, and accessories.

EZ Dock is the best investment you will make for your waterfront property. Combining strength and stability with light weight and low maintenance, our patented designs have applications in commercial marine, residential, and industrial markets.

WHY EZ DOCK?

4



DOCKS

6



LIFTS

10



ANCHORING

18



ACCESS

19



APPLICATIONS

20



ACCESSORIES

28



DESIGN YOUR OWN

30




EZ Dock is the best investment you will ever make in your waterfront property.

We proudly manufacture all of our roto-molded product in the U.S.A.




Maintenance-Free and Barefoot Friendly

- EZ Dock's polyethylene docks are durable and slip resistant
- Won't splinter or rot, never needs painting
- Cleans easy with soap and water



Adaptable Design

- Unique design delivers outstanding load capacity, functionality, and safety
- Variety of dock sections, boat/PWC lifts, and kayak launches
- Easily customizable design to make your perfect waterfront retreat




Flexible Flotation Technology

- Flotation chambers constructed for optimal strength and structural integrity
- Designed to provide additional stability on the water
- Dock sections adapt easily to changing water conditions and levels



Innovative Coupling

- Made of recycled materials
- Nuts and bolts made of heavy duty, rust resistant composite
- Strength and durability even in the harshest weather conditions



“What a difference our EZ Dock has made! We were tired of refinishing our wood dock all the time. Since we made the switch to EZ Dock we are able to spend more time enjoying the water and less time working on the dock.”

Bill and Gloria G.
New EZ Dock Owners



Free to *adventure.*



STANDARD DOCK SECTIONS

Get the look and features that are right for you

Our floating, modular, composite dock sections can be formed into a wide variety of custom configurations to perfectly suit your shoreline and your lifestyle. EZ Dock offers features and benefits that no other dock can match: unbeatable adaptability, exceptional performance in rough water, superior strength and durability, virtually no upkeep, universal accessibility, and easy installation. From simple straight-dock designs to complex configurations featuring multiple ports and platforms, EZ Dock makes it easy to create just what your family needs.



	DOCK SECTIONS	SIZE (W x L x H)	AREA	WEIGHT	FLOTATION CAPACITY	PART #
1.	40" x 5' Dock	40" x 60" x 15" 1 m x 1.5 m x 38 cm	16 sq ft 1.5 m ²	88 lbs 39.9 kg	1,000 lbs 453.6 kg	204060
2.	40" Dock	40" x 120" x 15" 1 m x 3 m x 38 cm	32 sq ft 3 m ²	167 lbs 75.7 kg	2,000 lbs 907.2 kg	204010
3.	60" Dock	60" x 120" x 15" 1.5 m x 3 m x 38 cm	49 sq ft 4.5 m ²	257 lbs 116.5 kg	3,000 lbs 1,360.8 kg	206010
4.	80" Dock	80" x 120" x 15" 2 m x 3 m x 38 cm	64 sq ft 6 m ²	338 lbs 153.3 kg	4,000 lbs 1,814.4 kg	208010
5.	100" Dock	100" x 80" x 15" 2.3 m x 2 m x 38 cm	49 sq ft 4.6 m ²	287 lbs 130.1 kg	3,100 lbs 1,406 kg	208008
6.	Half Hex Dock	60" x 120" x 15" 1.5 m x 3 m x 38 cm	49 sq ft 4.5 m ²	189 lbs 85.7 kg	2,000 lbs 907.2 kg	260120
7.	Corner Gusset	34" x 34" x 47" 86 cm x 86 cm x 119 cm	31 sq ft 2.8 m ²	22 lbs 9.9 kg	221 lbs 10 kg	300501

NOTE: Because of the rotational molding process, weights and dimensions may vary. Supplemental flotation available to increase capacity for specific applications.

Free to *row.*



LOW PROFILE DOCK



Ease of use. Stability. Low maintenance.

It's time to stop worrying about your footing and start focusing on your rowing skills. Introducing EZ Dock's new low profile dock. It's dramatically lower to the water, with a freeboard height less than half that of our standard dock. This allows you easy access to the water, whether you are getting in or getting out.

Our flotation technology is derived from our standard dock, which has proven over time to be extremely stable regardless of where you are positioned on the dock. And with virtually no maintenance in comparison to a conventional wooden dock, it's time to enjoy a dock designed for you.

FEATURES/BENEFITS:

- Incredible stability for sure footing while stepping on and off
- Meets FISA and US Rowing standards - perfect for your team's races
- Engineered for many applications: rowing, swimming, fishing, boating
- Modular design for easy installation, ability to attach to standard EZ Dock system or traditional docks



DOCK SECTIONS	SIZE (W x L x H)	AREA	WEIGHT	FLOTATION CAPACITY	PART #
80" Low Profile Dock	80" x 120" x 8" 2 m x 3 m x 20 cm	66.7 sq ft 6 m ²	260 lbs 118 kg	1,900 lbs 862 kg	158010

Free to *play.*





EZ PORT® MAX 2i DRIVE-ON LIFT

EZ Port® revolutionized docking and launching with the original, drive-on PWC lift. Our patented industry-leading EZ Port Max 2i takes that innovation to the highest level. It features a split entry and self-adjusting rollers that make loading and unloading smooth and effortless. EZ Port Max 2i is the simplest and most durable drive-on, push-off method of dry docking. Whether you are an experienced operator or just getting started, boarding and launching is a breeze, and is ideal for any size or brand of PWCs.



FEATURES/BENEFITS:

- Adjustable rollers adapt to all PWC brands and hull designs for ease on and off of the port
- Three-sided accessibility to configure exactly to your needs
- Wide variety of anchoring options make it simple to accommodate to your waterfront



	DESCRIPTION	SIZE (W x L x H)	WEIGHT	FLOTATION CAPACITY	PART #
1.	EZ Port MAX® 2i	168" x 59" x 15" 4.3 m x 1.5 m x 38 cm	324 lbs 146.9 kg	1,700 lbs 771 kg	206036PW
2.	EZ Port MAX®	148" x 59" x 15" 3.8 m x 1.5 m x 38 cm	296 lbs 134.2 kg	1,380 lbs 626 kg	206032PW




Free to *ride.*





EZ PORT MAX[®]

The EZ Port MAX[®] System for multiple PWCs.



	DOCK SECTIONS	SIZE (W x L x H)	WEIGHT	FLOTATION CAPACITY	PART #
1.	EZ Port MAX [®] Entry	149" x 59" x 10" 3.8 m x 1.5 m x 25 cm	266 lbs 120.6 kg	1,380 lbs 626 kg	206030PW
2.	EZ Port MAX [®] with Entry Extension	146" x 59" x 10" 3.7 m x 1.5 m x 25 cm	266 lbs 120.6 kg	1,400 lbs 635 kg	206031PW
3.	EZ Port MAX [®] Easy-Lift Entry	44" x 59" x 10" 1.1 m x 1.5 m x 25 cm	95 lbs 43 kg	400 lbs 182 kg	206033EX
4.	EZ Port MAX [®] Full Bow Section	39" x 59" x 11" 1 m x 1.5 m x 28 cm	60 lbs 27.2 kg	–	206025BS
5.	EZ Port MAX [®] Small Bow Section	39" x 21" x 15" 1 m x 0.5 m x 38 cm	12 lbs 5.4 kg	–	206027BS



Free to *cruise.*




EZ BOATPORT® DRIVE-ON BOAT LIFTS

Keeping your boat high and dry has never been so easy. The EZ BoatPort is a simple and stable drive-on, drive-off method of docking for boats in a wide range of sizes up to 5,000 lbs.

Removable and changeable bunks can accommodate hull shapes from flat-bottoms to deep-Vs, making this the perfect choice for boats including skiffs, fishing boats and jet boats. The EZ BoatPort is also available with side extensions for additional walk-around room and access to the sides of your boat for cleaning, maintenance and covering.

Side Extension



FEATURES/BENEFITS:

- **Self-floating chambers that move with the changing water levels** - Makes porting much easier
- **Flexible** - Works with existing floating or fixed docks
- **Adaptable** - Can be used in as little as two feet of water
- **Easy to Use** - No winching, cranking or hoisting

Options

- Two skid bunk options to fit a variety of hull shapes and sizes
- Up to three additional keel rollers for longer boats
- Supplemental flotation kit for added buoyancy
- Optional side extensions for additional walk-around room
- Flip-up front cleat to secure the boat to the port

EZ BoatPort®

MODEL	SIZE (W x L x H)	AREA	OPTIONS	FLOTATION CAPACITY	PART #
EZ BoatPort Standard	77" x 164" 2 m x 4.2 m	88 sq ft 8.4 m ²	Long or Short Bunks	2,000 lbs 907 kg	BP2000*
EZ BoatPort with Side Extensions	117" x 164" 3 m x 4.2 m	133 sq ft 12.6 m ²	Long or Short Bunks	3,000 lbs 1,361 kg	BP3000*
EZ BoatPort with Side Extensions & Large Platform	117" x 222" 3 m x 5.6 m	180 sq ft 16.8 m ²	Long or Short Bunks	3,000 lbs 1,361 kg	BP3001*
EZ BoatPort with Float Tank & Air-Assist	77" x 222" 2 m x 5.6 m	119 sq ft 11.2 m ²	Long or Short Bunks Air-Assist Unit Options	4,000 lbs 1,814 kg	BP4000**
EZ BoatPort with Float Tank, Air-Assist & Large Platform	77" x 281" 2 m x 7.1 m	150 sq ft 14.2 m ²	Long or Short Bunks Air-Assist Unit Options	4,000 lbs 1,814 kg	BP4001**
EZ BoatPort with Side Extensions, Float Tank & Air-Assist	117" x 242" 3 m x 6.1 m	197 sq ft 18.3 m ²	Long or Short Bunks Air-Assist Unit Options	5,000 lbs 2,268 kg	BP5000**
EZ BoatPort with Side Extensions, Float Tank, Air-Assist & Large Platform	117" x 281" 2 m x 7.1 m	228 sq ft 21.2 m ²	Long or Short Bunks Air-Assist Unit Options	5,000 lbs 2,268 kg	BP5001**

* Package options include all additional rollers and choice of long or short bunks.

** Package options include all additional rollers, choice of long or short bunks, and choice of manual, solar, or remote-control pump unit.

NOTE: Because of the rotational molding process, weights and dimensions may vary. Supplemental flotation available to increase capacity for specific applications.

Free to *launch.*



KAYAK LAUNCHES

All New EZ Kayak Launch

NEW!

With EZ Dock's all new EZ Kayak Launch, docking and launching your kayak or canoe has never been easier. The innovative new one-piece design, complete with built-in launch-assist paddle notches make this the smartest way to stay dry while entering and exiting your watercraft. And with ability to connect with our standard and low profile dock sections (as well as any other traditional docks) the new EZ Kayak Launch can be installed virtually anywhere! Whether you are an experienced kayaker or just getting started, you will feel confident and stable using our new launch.

MODEL	SIZE (W x L x H)	WEIGHT	PART #
EZ Kayak Launch (patent pending)	58.5" x 168" x 25" 1.5 m x 4.3 m x .6 m	325 lbs (147 kg)	200900

EZ Launch - Commercial

Universal Accessibility

A first in the industry, the EZ Launch Accessible Transfer System for kayaks and canoes provides individuals with disabilities accessibility that exceeds the minimum requirements of the Americans with Disabilities Act (ADA). The easy-to-use transfer bench and transfer slide boards allow users to simply sit, slide over, and drop down, then use the side rails to pull off or back on. The customizable system is ideal for people of ALL abilities, providing extra stability launching and docking a kayak or canoe. **Contact your local dealer for more information.**


FEATURES/BENEFITS:

EZ Kayak Launch

- **Comfort** - Allows users a stable and dry entry to water
- **Ease of Use** - Launch-assist paddle notches for support in kayak entry and exit
- **Flexibility in design** - Ability to connect to virtually any dock (EZ Dock, traditional wood docks, and more)


EZ Launch - Commercial

- Guide rails for easy access in and out of the water
- Launch rollers for easy movement of the watercraft
- Transfer bench with two heights for easy transfer from wheelchairs
- Transfer slide boards with two heights for differing watercraft sizes
- Perfect for high traffic, public use



ANCHORS

Once you've created your EZ Dock, you'll need to select an anchoring system to work with your existing piling or your new installation. Our wide variety of anchoring components can accommodate most water conditions and bottoms (deep, shallow, rough, muddy, or sandy) and are simple to install. EZ Dock anchoring products are made from long-lasting, durable materials that can accommodate standard or heavy-duty use. Your local dealer can help you select the anchoring system that's right for your location. Call us at 1-800-654-8168.



1. Pipe Augers

100255 or 100355

Nut and bolt auger for drilling and setting pipe in lakes, rivers, or ocean bottoms. Pipe sold separately.

2. Adapter Hinge

100750 or 100750SS

Reversible hinge for bolting EZ Port PWC lifts or EZ Dock sections to other types of floating docks. Set of 2.

3. Stiff-Arm (Heavy-Duty)

800099

Anchor to shoreline abutment or shoreline post with our heavy-duty stiff-arm. Light-duty stiff-arm bracket also available.

4. Pipe Bracket (Heavy-Duty)

215250 or 215350

Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.

5. Pipe Bracket (Standard-Duty)

135250 or 135350

Standard-duty polyethylene bracket provides ample anchoring for EZ Port PWC lifts or for smaller docks in moderate conditions.

6. Pipe Stand-Off Bracket

1051000

Polyurethane bracket attaches top of pipe to stationary docks. Fits pipe from 2.5" to 3.5" O.D.

7. Deadweight Bracket (Heavy-Duty)

210350 with 100725P Insert

Add a deadweight insert to our heavy-duty polyethylene pipe bracket to anchor docks in deep water or over rocky bottoms.

8. Deadweight Winch Insert

210350 with 100730 Winch Insert

Deadweight insert and cable winch added to our polyethylene pipe bracket allow easy dock adjustment for water fluctuations. Cable sold separately.

9. Deadweight Bracket (Standard-Duty)

100740 or 100740SS

For light-duty anchoring with chain and/or to attach 4" x 4" railing or mooring posts. Chain sold separately. Set of 2.

10. Deadweight Stiff Arm Combo Bracket

100700 or 800095-15

Combination bracket can be used with both EZ Dock's deadweight or stiff-arm anchoring system.

11. Adjustable Piling Bracket

300800

Heavy-duty polyethylene bracket allows lateral position adjustment to attach to piles up to 18" in diameter.

12. Piling Bracket and Hoop

100800 or 100812 (shown)

Mainframe piling bracket is pre-drilled for hoops from 4" to 24" wide. Includes connectors with nuts. Hoops sold separately.

ANCHORS

Once you've created your EZ Dock, you'll need to select an anchoring system to work with your existing piling or your new installation. Our wide variety of anchoring components can accommodate most water conditions and bottoms (deep, shallow, rough, muddy, or sandy) and are simple to install. EZ Dock anchoring products are made from long-lasting, durable materials that can accommodate standard or heavy-duty use. Your local dealer can help you select the anchoring system that's right for your location. Call us at 1-800-654-8168.



1. Pipe Augers

100255 or 100355

Nut and bolt auger for drilling and setting pipe in lakes, rivers, or ocean bottoms. Pipe sold separately.

2. Adapter Hinge

100750 or 100750SS

Reversible hinge for bolting EZ Port PWC lifts or EZ Dock sections to other types of floating docks. Set of 2.

3. Stiff-Arm (Heavy-Duty)

800099

Anchor to shoreline abutment or shoreline post with our heavy-duty stiff-arm. Light-duty stiff-arm bracket also available.

4. Pipe Bracket (Heavy-Duty)

215250 or 215350

Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.

5. Pipe Bracket (Standard-Duty)

135250 or 135350

Standard-duty polyethylene bracket provides ample anchoring for EZ Port PWC lifts or for smaller docks in moderate conditions.

6. Pipe Stand-Off Bracket

1051000

Polyurethane bracket attaches top of pipe to stationary docks. Fits pipe from 2.5" to 3.5" O.D.

7. Deadweight Bracket (Heavy-Duty)

210350 with 100725P Insert

Add a deadweight insert to our heavy-duty polyethylene pipe bracket to anchor docks in deep water or over rocky bottoms.

8. Deadweight Winch Insert

210350 with 100730 Winch Insert

Deadweight insert and cable winch added to our polyethylene pipe bracket allow easy dock adjustment for water fluctuations. Cable sold separately.

9. Deadweight Bracket (Standard-Duty)

100740 or 100740SS

For light-duty anchoring with chain and/or to attach 4" x 4" railing or mooring posts. Chain sold separately. Set of 2.

10. Deadweight Stiff Arm Combo Bracket

100700 or 800095-15

Combination bracket can be used with both EZ Dock's deadweight or stiff-arm anchoring system.

11. Adjustable Piling Bracket

300800

Heavy-duty polyethylene bracket allows lateral position adjustment to attach to piles up to 18" in diameter.

12. Piling Bracket and Hoop

100800 or 100812 (shown)

Mainframe piling bracket is pre-drilled for hoops from 4" to 24" wide. Includes connectors with nuts. Hoops sold separately.

GANGWAYS

Easy Access

Engineered with the same technology and quality as our dock sections, EZ Dock gangways offer uncompromised durability and modular versatility. Gangways are manufactured from aluminum, wood, or polyethylene.



1. Gangway (Aluminum)

G300308 to G300532

Features welded construction with an available ThruFlow™ decking walkway. Available in 3' and 5' widths and lengths from 8' to 32'.

2. Gangway (Polyethylene)

400406 (6' section)

Shown with two 6' sections installed with the 12' Aluminum Tube Support Kit (401412) and optional 12' Hand Rail (400912).

3. Gangway Roller Kit

300300, 300400

Gangway Roller Kit allows end of gangway to adjust to changing water levels. PVC and galvanized steel roller available for 3' and 5' widths.

4. Transition Plate

G200350 or G200550

Gangway transition plate with ThruFlow™ decking creates a sturdy transition between shore grade and aluminum gangway, or gangway to dock.

5. Hinge-To-Float

G200360, G200460, G200560

Hinged bracket with hardware attaches gangway to dock.

6. Transition Kit (Polyethylene)

100717 (15") or 100718 (30")

Hinged polyethylene plate creates a smooth transition between EZ Dock or EZ Port and another floating dock.

7. Gangplank Mounting Kit

100240, 100340 or 100600

Galvanized steel hinge bracket and hardware for wood walkways 24", 34", or 60" wide. Lumber not included.

8. Plank Gangway (Polyethylene)

200200

Hinged polyethylene panel creates a smooth transition between shore grade and deck surface.

EZ TRAIL®

EZ Trail is a smart way to create accessible ramps and pathways in your woodland, wetland, or any place you need a safe and durable traversing platform. Our system is less invasive, and the large interconnecting, modular sections are simple to install.

You can easily add sections as needed, or reconfigure your walkway anytime you like. EZ Trail features a versatile and expandable self-floating design that is suitable for land and water and can be easily moved (unlike fixed walkways, ramps, piers, or docks).

Environmentally Friendly

Treated wood and foam-filled products can be dangerous to wildlife habitats because they deteriorate, break apart and leave debris in the water, but EZ Dock utilizes only safe, non-toxic materials. The uniquely engineered sections provide stable flotation and can be suspended above vegetation during periods of low water so they don't harm the habitat. The system is less invasive because it doesn't require a permanent foundation, allowing healthy plant growth underneath.



PARKS & RECREATION

EZ Dock offers dock systems that provide children and adults of all ages easy, safe access, including ADA accessibility, to the activities they love. Our low maintenance systems are designed for customers with limited staff, time, and money to devote to constant dock maintenance. Parks and recreation departments across the country select the EZ Dock system because there's no wood to cause splinters, and the docks can be left out year-round – even on static ice.



MILITARY & LAW ENFORCEMENT

Whether your military or law enforcement department needs two slips or 2,000, a small dock or a complex marina with boat lifts, water, and shore power, EZ Dock has dedicated and experienced distributors and dealers to help you navigate the process. We'll help you with new dock development or existing dock replacement.



UNIVERSAL ACCESSIBILITY

Many companies can boast about having products that conform to all minimum regulatory guidelines ensuring universal accessibility, but EZ Dock takes it much further. As a leader in the industry, our products are not engineered for the “bare minimum” requirements - we strive to design our products to give everyone access to the best possible experience on the water, far exceeding the minimum standards.



FLOATING PLATFORMS & ACCESS WALKWAYS

During on-water construction, EZ Dock platforms provide easy and safe access to the job site. With EZ Dock, you can custom-tailor a floating platform or access walkway to meet the specific requirements of your project. Each float has a working capacity of 62.5 lbs per square foot, giving each dock section a load capacity of up to 4,000 lbs.



EQUIPMENT BARGES & PLATFORMS

EZ Dock Industrial Floats can be used as a motorized barge to move equipment from shore using our EZ Dock Outboard Motor Brackets. They are ideal for use by diving contractors to gain access to difficult areas for over-water commercial use. The floats have low-freeboard stability, are easy to assemble and disassemble, and can carry a large amount of weight without compromising strength. They can easily attach to other platforms, and are chemical-resistant. The platforms also provide stable transporting in strong currents or windy conditions.



TEMPORARY INSTALLATION APPLICATIONS

Special waterfront events that require floating platforms can present unique challenges. EZ Dock can help you execute your event with docks and floating platforms to accommodate judges, officials, contestants, performers, spectators, press, and photographers. Our products are easy to install and dismantle, and are perfect for traveling and recurring events held in locations such as ski competitions, fishing tournaments, concerts, golf tournaments, triathlons, and in-water boat shows.



TEMPORARY INSTALLATION APPLICATIONS



ADD YOUR OWN SIGNATURE

With the EZ Dock modular system, you can add a wide variety of accessories including storage boxes, bumpers, cleats, benches, ladders, and slides using our easy-to-use coupling system. Do you have a specialty item or piece of equipment that you want affixed to your dock? Simply use our hardware connectors to bolt it directly to the section you choose. It's that easy.



1. Swim Ladder

300260

2. Dock Slide

300600

3. EZ STOW Storage Box

300750

4. Corner Storage Box

300760

5. EZ Float Step Ladder

300270

6. Polyethylene Bench Kit

300970 or 300965 (without arms)

7. Tie-Up Cleat

300100

8. 10" Tie-Up Cleat

300110

9. Corner Gusset

300501

10. Dock Edging

400117

11. Dock Bumper

300180

12. Dock Wheels

900050

13. Hardware Connector Male

201040SS

14. Hardware Connector Female

201041SS

15. In-Water Installation Tool

900010SS



RAILINGS

EZ Dock modular railings are safe, secure, and conform to all States Organization for Boating Access (SOBA) and Americans with Disabilities Act (ADA) guidelines. Railing sections are available in a variety of lengths and profiles designed to provide safety and security with minimal obstruction.

Just What You Want

We offer a wide variety of materials, colors, and configurations for your rails.

Dock sections are 15" high and displace just a few inches of water, resulting in approximately 12-3/4" of freeboard height showing above the water line.

Choose from powder-coated color finish, stainless steel, or aluminum.

1. Style 910

100910AL or 105910

2. Style 911

100911AL or 105911

3. Style 912

100912AL or 105912

4. Style 915

100915AL or 105915

5. Style 916*

100916AL or 105916

6. Style 917

100917AL or 105917

7. Style 918

100918AL or 105918

8. Style 919

100919AL or 105919

9. Style 920*

100920AL or 105920


10. Style 921

100921AL or 105921


Colors




-  Forest Green
-  Brown
-  Royal Blue
-  Sand
-  Raw Aluminum (standard)
-  Stainless Steel




1




2




3




4




5




6




7



8



9









10

* Equipped with fishing rod holders



DESIGN-A-DOCK

Spec your flotation needs:



INTERNATIONAL DISTRIBUTION

For more information, visit www.ez-dock.com | 800-654-8168



THE BEST WORLDWIDE DISTRIBUTION NETWORK IN THE INDUSTRY

EZ Dock's global network of highly trained and knowledgeable dealers and distributors are ready to help. Our experienced team is standing by to help you choose a system that will maximize your space and suit your specific application.

Try our *EZ Designer® Configuration Tool* on our website at www.EZ-DOCK.com to create your perfect dock, and call us to find your local EZ Dock dealer.

US/Canada	1-800-654-8168
Europe	+46 (0) 380 47 300
International	+1-417-235-2223

www.ez-dock.com



EZ Dock (approved ISO 9001 and ISO 14001 certified) is a supplier to the U.S. General Services Administration. You can shop for EZ Dock product electronically from the GSA Advantage website. EZ Dock's GSA number is: GS-07F-0271V

INTERNATIONAL DISTRIBUTION

For more information, visit www.ez-dock.com | 800-654-8168



THE BEST WORLDWIDE DISTRIBUTION NETWORK IN THE INDUSTRY

EZ Dock's global network of highly trained and knowledgeable dealers and distributors are ready to help. Our experienced team is standing by to help you choose a system that will maximize your space and suit your specific application.

Try our EZ Designer® Configuration Tool on our website at www.EZ-DOCK.com to create your perfect dock, and call us to find your local EZ Dock dealer.

US/Canada	1-800-654-8168
Europe	+46 (0) 380 47 300
International	+1-417-235-2223

www.ez-dock.com



EZ Dock (approved ISO 9001 and ISO 14001 certified) is a supplier to the U.S. General Services Administration. You can shop for EZ Dock product electronically from the GSA Advantage website. EZ Dock's GSA number is: GS07F9713G



EZ DOCK

A division of PlayPower

EZ-DOCK.com | 1-800-654-8168

878 Hwy. 60, Monett, MO USA 65708

EZ Dock may introduce new colors, products, accessories, and options throughout the year. Specifications and products listed are subject to change without notice.

Some products may be shown with additional or optional equipment not available through EZ Dock. Specifications may vary for international shipments.

Please check with your local dealer for more information. EZ Dock is a product of the U.S.A.

NOTE: Because of the rotational molding process, actual weights and dimensions may vary.
Copyright ©2017 by PlayPower, Inc. All rights reserved.